



- Innesti Germania**
- Germany couplings
- Kupplungen Deutschland
- Accouplements Allemagne
- Acoplamientos Alemania

GD60**GD60T****GD70****GD80****GD85****GD90****GD95****GD97**

- Dati tecnici di innesti Germania**
- Germany couplings technical data
- Technischen Daten der Kupplungen Deutschland
- Données techniques des accouplements Allemagne
- Datos técnicos de los acoplamientos Alemania

Caratteristiche principali

1. Gamma completa 1/8 - 1/2"
2. Filettatura BSPP cilindrica UNI-ISO228
4. Vasta gamma
5. Robustezza meccanica

Principales caractéristiques

1. Gamme complète 1/8 - 1/2"
2. Filetage cylindrique BSPP UNI-ISO228
4. Large gamme
5. Robustesse mécanique

Main features

1. Full range 1/8 - 1/2"
2. BSPP cylindrical thread UNI-ISO228
4. Wide range
5. Mechanical robustness

Características principales

1. Rango completo 1/8 - 1/2"
2. Rosca cilíndrica BSPP UNI-ISO228
4. Amplia gama
5. Robustez mecánica

Hauptmerkmale

1. Voller Bereich 1/8 - 1/2"
2. BSPP zylindrisches Gewinde UNI-ISO228
4. Breite Palette
5. Mechanische Robustheit

Applicazioni

1. Aria Compressa
2. Impianti per automazione pneumatica
3. Gas inerti
4. Vuoto

Applications

1. Air comprimé
2. Installations pour l'automatisation pneumatique
3. Gaz neutres
4. Vide

Applications

1. Compressed Air
2. Systems for pneumatic automation
3. Inert Gases
4. Vacuum

Aplicaciones

1. Aire comprimido
2. Instalaciones para automatización neumática
3. Gases inertes
4. Vacío

Anwendungen

1. Druckluft
2. Systeme für die pneumatische Automatisierung
3. Inertgase
4. Leer

Pressione e temperatura	Pressure and Temperature	Druck und Temperatur	Pression et Température	Presión y Temperatura
Pressione: 12 Bar	Pressure: 12 Bar	Druck: 12 Bar	Pression: 12 bar	Presión: 12 Bar
Temperatura: -18°C / +80°C	Temperature: 0°F / +176°F	Temperatur: -18°C / +80°C	Température: -18°C / +80°C	Temperatura: -18°C / +80°C

Portata	Flow	Mengenstrom	Débit	Caudal
Portata: 1600 l/min.	Flow: 1600 l/min.	Mengenstrom: 1600 l/min.	Débit: 1600 l/min.	Caudal: 1600 l/min.

**Fluid**

Aria compressa

**Fluide**

Air comprimé

**Fluid**

Compressed air

**Fluido**

Aire comprimido

**Fluid**

Druckluft

**Filettatura**BSPP cilindrica UNI-ISO228 -
ISO16030**Thread types**BSPP parallel UNI-ISO228 -
ISO16030**Gewinde**BSPP zylindrisch UNI-ISO228 -
ISO16030**Filetage**BSPP cylindrique UNI-ISO228 -
ISO 16030**Roscado**BSPP cilíndrico UNI-ISO 228 -
ISO 16030**Filetti**

Filettature da 1/4 a 1/2"

**Filets**

Filetages de 1/4 à 1/2"

**Threads**


Threads from 1/4 to 1/2"

**Roscas**


Roscas de 1/4 a 1/2"

**Gewinde**

Gewinde von 1/4 bis 1/2"



GD 60

**Innesto maschio Germania**

German male connection



Kupplungen Deutschland




Embout mâle Allemagne



Adaptador macho Alemania

CODICE/CODE	F"	H	D	L	CH	PEZZI/PIECES
GD600014	G1/4	8,5	12	35	14	10
GD600038	G3/8	9	12	35,5	17	10
GD600012	G1/2	11	12	38	22	10

GD 60T

**Innesto maschio Germania (acciaio temperato)**

German male connection (tempered steel)



Kupplungen Deutschland (Gehärtete Edelstahl)




Embout mâle Allemagne (acier trempé)



Adaptador macho Alemania (acero templado)

CODICE/CODE	F"	H	D	L	CH	PEZZI/PIECES
GD600014T	G1/4	8,5	12	35	14	10
GD600038T	G3/8	9	12	35,5	17	10

GD 70



Innesto Germania femmina

German female connection


Kupplungen Deutschland

Embout femelle Allemagne

Adaptador hembra Alemania

CODICE/CODE	F"	H	D	L	CH	PEZZI/PIECES
GD700014	G1/4	11	12	34,5	15	10
GD700038	G3/8	12	12	36	19	10
GD700012	G1/2	14,5	12	39	25	10

GD 80



Innesto Germania con molla

German spring connection


Kupplungen Deutschland mit Feder

Embout Allemagne avec ressort

Adaptador Alemania con muelle

CODICE/CODE	A	D	L	CH	CH1	PEZZI/PIECES
GD800406	04x06	12	111	13	12	10
GD800508	05x08	12	122	13	13	10
GD800608	06x08	12	121	13	13	10
GD806510	6,5x10	12	122,5	13	15	10
GD800810	08x10	12	120,5	15	13	10
GD800812	08x12	12	122	17	15	10
GD801012	10x12	12	123,5	17	15	10

GD 85



Innesto Germania portagomma

German connection for rubber tube


Schlauchtülle Kupplungen Deutschland

Embout Allemagne pour tuyau

Adaptador Alemania para tubo

CODICE/CODE	A	D	L	CH	CH1	PEZZI/PIECES
GD850610	06x10	12	53	13	15	10
GD850612	06x12	12	53	13	15	10
GD850614	06x14	12	53	13	17	10
GD850812	08x12	12	54	13	15	10
GD850813	08x13	12	54	13	16	10
GD850817	08x17	12	54	13	20	10
GD851019	10x19	12	58	13	22	10

GD 90



Innesto Germania con resca

German connection with tail


Kupplungen Deutschland mit Abschluss

Embout Allemagne barbillon

Adaptador Alemania con espiga

CODICE/CODE	A	D	L	PEZZI/PIECES
GD900006	6,5	12	39,5	10
GD900007	7,5	12	41,5	10
GD900008	8,5	12	41,5	10
GD900009	9,5	12	41,5	10
GD900010	11	12	41,5	10
GD900012	12	12	42,5	10
GD900013	13,5	12	46,5	10

GD 95



 **Innesto Germania baionetta**

 German bayonet connection


 Kupplungen Deutschland mit Bajonett

 Embout Allemagne baïonnette

 Adaptador Alemania bayoneta

CODICE/CODE	A	D	L	PEZZI/PIECES
GD950000	12	15	32,5	10

GD 97



 **Innesto Germania con dado fresato**

 German connection with milled nut

 Kupplungen Deutschland mit Mutter

 Embout Allemagne avec écrou fraise

 Adaptador Alemania con tuerca fresada

CODICE/CODE	A	D	L	CH	PEZZI/PIECES
GD970000	12	20	43	14	10