



- Raccordi per spirali**
- Coils fittings
- Spiralefedern
- Raccords pour spirales
- Racordaje para espirales

AM60**AM65****AM67****AM70****AM75****AM80****AM85**

- Dati tecnici di raccordi per spirali**
- Coils fittings technical data
- Technischen Daten der Spiralefedern
- Données techniques des Raccords pour spirales
- Datos técnicos de los racordaje para espirales

- Caratteristiche principali**
- 1. Gamma completa 1/8 - 1/2"
- 2. Filettatura BSPP cilindrica UNI-ISO228, BSPT conica UNI-ISO 7
- 3. Vasta gamma
- 4. Robustezza meccanica

- Principales caractéristiques**
- 1. Gamme complète 1/8 - 1/2"
- 2. Filetage cylindrique BSPP UNI-ISO 228, conique BSPT UNI-ISO 7
- 3. Large gamme
- 4. Résistance mécanique

- Main features**
- 1. Complete Range 1/8 - 1/2"
- 2. BSPP cylindrical thread UNI-ISO 228, conical BSPT UNI-ISO 7
- 3. Wide range
- 4. Mechanical Resistance

- Características principales**
- 1. Gama completa 1/8-1/2"
- 2. BSPP rosca cilíndrica UNI-ISO 228, cónica BSPT UNI-ISO 7
- 3. Amplia gama
- 4. Robustez mecánica

- Hauptmerkmale**
- 1. Vollständiges Sortiment 1/8 - 1/2"
- 2. BSPP-zylindrisches Gewinde UNI-ISO 228, konisch BSPT UNI-ISO 7
- 3. Große Auswahl
- 4. Mechanische Festigkeit

- Applicazioni**
- 1. Aria Compressa
- 2. Impianti per automazione pneumatica
- 3. Gas inerti
- 4. Vuoto

- Applications**
- 1. Air comprimé
- 2. Installations pour l'automatisation pneumatique
- 3. Gaz neutres
- 4. Vide

- Applications**
- 1. Compressed Air
- 2. Systems for pneumatic automation
- 3. Inert Gases
- 4. Vacuum

- Aplicaciones**
- 1. Aire comprimido
- 2. Instalaciones para automatización neumática
- 3. Gases inertes
- 4. Vacío

- Anwendungen**
- 1. Druckluft
- 2. Systeme für die pneumatische Automatisierung
- 3. Inertgase
- 4. Leer

Fluid
Acqua, olio, aria compressa

Fluid
Water, oils, compressed air

Fluid
Wasser, oel, druckluft

Fluide
Eau, huile, air comprimé

Fluid
Agua, aceite, aire comprimido

Filettatura
BSPP cilindrica UNI-ISO228

Thread types
BSPP parallel UNI-ISO228

Gewinde
BSPP zylindrisch UNI-ISO228

Filetage
BSPP cylindrique UNI-ISO228

Roscado
BSPP cilíndrico UNI-ISO 228

Filetti
Filettature da 1/4 a 3/8"

Threads
Threads from 1/4 to 3/8"

Gewinde
Gewinde von 1/4 bis 3/8"

Filets
Filetages de 1/4 à 3/8"

Roscas
Roscas de 1/4 a 3/8"

Materiali
Ottone e acciaio

Matériels
Laiton et acier

Materials
Brass and steel


Materiales
Latón y acero

Werkstoffen
Messing und Stahl

Pressione e temperatura	Pressure and Temperature	Druck und Temperatur	Pression et Température	Presión y Temperatura
Pressione: 12 Bar	Pressure: 12 Bar	Druck: 12 Bar	Pression: 12 bar	Presión: 12 Bar
Temperatura: -18°C / +80°C	Temperature: 0°F / +176°F	Temperatur: -18°C / +80°C	Température: -18°C / +80°C	Temperatura: -18°C / +80°C

Portata	Flow	Mengenstrom	Débit	Caudal
Portata: 2000 l/min.	Flow: 2000 l/min.	Mengenstrom: 2000 l/min.	Débit: 2000 l/min.	Caudal: 2000 l/min.

AM 60



Attacco maschio fisso con molla

Fixed male spring


Spiralefedern

Jonction mâle avec ressort

Racor macho con muelle

CODICE/CODE	F	H	A	L	CH	CH1	PEZZI/PIECES
AM60140406	G1/4	8	04x06	98	14	12	10
AM60140508	G1/4	8	05x08	108	14	13	10
AM60140608	G1/4	8	06x08	108	14	13	10
AM60146510	G1/4	8	6,5x10	110,5	14	15	10
AM60140810	G1/4	8	08x10	108,5	14	15	10
AM60140812	G1/4	8	08x12	111,5	15	17	10
AM60141012	G1/4	8	10x12	110,5	15	17	10
AM60380810	G3/8	9	08x10	110,5	17	15	10
AM60381012	G3/8	9	10x12	112,5	17	17	10

AM 65



Attacco maschio girevole con molla

Rotating male spring


Spiralefedern

Jonction mâle orientable avec ressort

Racor macho orientable con muelle

CODICE/CODE	F	H	A	L	CH	CH1	CH2	PEZZI/PIECES
AM65140406	G1/4	8	04x06	105	15	15	12	10
AM65140508	G1/4	8	05x08	115	15	15	13	10
AM65140608	G1/4	8	06x08	115	15	15	13	10
AM65146510	G1/4	8	6,5x10	117	15	15	15	10
AM65140810	G1/4	8	08x10	116,5	15	15	15	10
AM65140812	G1/4	8	08x12	120	15	15	17	10
AM65141012	G1/4	8	10x12	117	15	15	17	10
AM65380810	G3/8	9,2	08x10	118	17	17	15	10
AM65380812	G3/8	9,2	08x12	118	17	17	17	10
AM65381012	G3/8	9,2	10x12	118	17	17	17	10

AM 67



Attacco maschio con O-ring girevole con molla

Rotating male spring with O-ring


Spiralefedern mit O-Ring

Jonction mâle orientable O-ring avec ressort

Racor macho orientable O-ring con muelle

CODICE/CODE	F	H	A	L	CH	CH1	CH2	PEZZI/PIECES
AM67140406	G1/4	6,5	04x06	105	15	15	12	10
AM67140508	G1/4	6,5	05x08	115	15	15	13	10
AM67140608	G1/4	6,5	06x08	115	15	15	13	10
AM67146510	G1/4	6,5	6,5x10	117,5	15	15	15	10
AM67140810	G1/4	6,5	08x10	117,5	15	15	15	10
AM67140812	G1/4	6,5	08x12	117,5	15	15	17	10
AM67141012	G1/4	6,5	10x12	117,5	15	15	17	10

AM 70



Attacco femmina con molla

Fixed female spring


Spiralefedern

Jonction femelle avec ressort

Racor hembra con muelle

CODICE/CODE	F	H	A	L	CH	CH1	PEZZI/PIECES
AM70140406	G1/4	10,5	04x06	96,5	15	12	10
AM70140508	G1/4	10,5	05x08	108	15	13	10
AM70140608	G1/4	10,5	06x08	107,5	15	13	10
AM70146510	G1/4	10,5	6,5x10	110	15	15	10
AM70140810	G1/4	10,5	08x10	110	15	15	10
AM70140812	G1/4	10,5	08x12	110	15	17	10
AM70141012	G1/4	10,5	10x12	110	15	17	10


AM 75



-  **Attacco femmina girevole con molla**
-  **Rotating female spring**
-  **Spiralefedern**
-  **Jonction femelle orientable avec ressort**
-  **Racor hembra orientable con muelle**

CODICE/CODE	F	H	A	L	CH	CH1	CH2	CH3	PEZZI/PIECES
AM75140406	G1/4	11	04x06	118	15	15	5	12	10
AM75140508	G1/4	11	05x08	122	15	15	5	13	10
AM75140608	G1/4	11	06x08	120	15	15	5	13	10
AM75146510	G1/4	11	6,5x10	124	15	15	5	15	10
AM75140810	G1/4	11	08x10	124	15	15	5	15	10
AM75140812	G1/4	11	08x12	126	15	15	5	17	10
AM75141012	G1/4	11	10x12	126	15	15	5	17	10
AM75380810	G3/8	11,5	08x10	128	19	17	6	15	10
AM75380812	G3/8	11,5	08x12	130	19	17	6	17	10
AM75381012	G3/8	11,5	10x12	130	19	17	6	17	10


AM 80



-  **Attacco baionetta con molla**
-  **Bayonet with spring**
-  **Spiralefedern**
-  **Douille a baïonnette avec ressort**
-  **Racor hembra con muelle**

CODICE/CODE	A	D	L	CH	CH1	PEZZI/PIECES
AM80140406	04x06	15	99,5	15	12	10
AM80140608	06x08	15	110	15	13	10
AM80140810	08x10	15	111,5	15	15	10
AM80141012	10x12	15	112	15	17	10

AM 85



-  **Attacco baionetta girevole con molla**
-  **Rotating bayonet with spring**
-  **Spiralefedern**
-  **Douille a baïonnette avec ressort**
-  **Racor bayoneta con muelle**

CODICE/CODE	A	D	L	CH	CH1	PEZZI/PIECES
AM85140406	04x06	15	108,5	15	12	10
AM85140508	05x08	15	111,5	15	13	10
AM85140608	06x08	15	111,5	15	13	10
AM85146510	6,5x10	15	112,5	15	15	10
AM85140810	08x10	15	113	15	15	10
AM85140812	08x12	15	133,5	15	17	10
AM85141012	10x12	15	133,5	15	17	10